



# STANDARD ROPES

**SPIRAL ROPES  
STRANDED ROPES  
STRANDED SPIRAL ROPES**



6x36 WS IWRC



**WE ARE ON OUR MOST FAMILIAR GROUND HERE!**

For many decades we have produced various standard wire ropes of steel, stainless steel, brass and iron. With our standard ropes, you profit from our years of experience and high level of quality just like you do with our individual developments. And here too we strive to continuously improve and to develop new manufacturing technologies.

**STANDARD WIRE ROPES ACCORDING TO EN SPECIFICATIONS FOR YOUR APPLICATION**

In our ropery, we produce ropes in a variety of designs, not just special ropes for individual applications. Standard ropes of standardised rope types according to EN specifications are also part of our portfolio. The normalised constructions of the standard wire ropes are used in various areas of application.



#### **FOR EXAMPLE:**

- in various crane applications
- in rope winches and rope pulling devices
- in architecture
- as lifting slings for hoisting applications
- in mining and machine construction
- in shipping
- in the medical field
- ... and in many other areas

The ropes are optionally manufactured with steel cores or with fibre cores (natural fibres or synthetic).

We offer all ropes dry, lightly lubricated or heavily lubricated to meet the needs of your application. We will gladly advise you on our oils and greases to help you to select the right lubricant.


#### **NOTES**

Diameter tolerances and limiting deviation can be found in the current part of the DIN EN 12385.


Ø 7 – 42 mm

6 x 31WS

- EN 12385-4
- Rope type 6 x 36



6 x 31WS-IWRC




6 x 31WS-FC


Ø 8 – 54 mm

6 x 36WS

- EN 12385-4
- Rope type 6 x 36



6 x 36WS-IWRC




6 x 36WS-FC


Ø 14 – 54 mm

6 x 41WS

- EN 12385-4
- Rope type 6 x 36



6 x 41WS-IWRC



6 x 41WS-FC